

2023 City Bike Geometry



All measurements in cm unless otherwise noted

Model	All measurements in cm unless otherwise noted																	
	Frame Size Letter	Frame Size Number	Wheel Size	A - Seat Tube Length	B - Seat Tube Angle	C - Head Tube Length	D - Head Tube Angle	E - Effective Top Tube Length	F - Bottom Bracket Height	G - Bottom Bracket Drop	H - Chainstay Length	I - Fork Offset	J - Fork Trail	K - Wheelbase	L - Frame Standover	M - Frame Reach	N - Frame Stack	
1120	S	15.5	29+	39.4	73.5°	10.0	70.4°	56.0	31.4	7.6	44.0	5.1	8.5	108.2	77.8	39.6	63.4	
	M	17.5	29+	41.9	73.5°	10.0	70.4°	58.6	31.5	7.5	44.0	5.1	8.5	110.8	79.1	42.2	63.4	
	L	19.5	29+	47.0	73.5°	11.0	70.3°	61.9	31.5	7.5	44.0	5.1	8.5	114.2	79.2	45.1	64.2	
	XL	21.5	29+	52.1	73.5°	12.0	70.3°	64.3	31.5	7.5	44.0	5.1	8.6	116.6	79.2	47.1	65.1	
520		48 cm	700c	44.0	74.3°	11.5	69.5°	52.0	27.4	7.5	45.0	5.2	7.4	104.1	71.3	36.8	54.0	
		51 cm	700c	48.2	74.0°	12.5	70.0°	53.1	27.4	7.5	45.0	5.2	7.1	104.5	74.1	37.3	55.1	
		54 cm	700c	51.2	73.8°	14.0	71.0°	54.3	27.8	7.0	45.0	5.2	6.5	104.8	76.8	37.8	56.5	
		57 cm	700c	54.3	73.5°	16.0	71.8°	55.7	27.8	7.0	45.0	5.2	5.9	105.2	79.4	38.3	58.7	
		60 cm	700c	57.5	73.0°	20.0	71.8°	58.3	27.8	7.0	45.0	5.2	5.9	107.4	82.6	39.2	62.5	
		63 cm	700c	60.5	72.8°	23.0	72.3°	60.3	27.8	7.0	45.0	5.2	5.6	108.6	85.4	40.0	65.5	
Allant+ 7 / 7S / 8S	M		27.5"	44.6	73.0°	16.5	69.5°	59.5	29.5	6.0	48.7	4.4	8.6	114.6	79.5	40.5	62.3	
	L		27.5"	49.1	73.0°	19.5	70.0°	60.7	29.5	6.0	48.7	4.4	8.1	115.0	83.7	40.8	65.2	
	XL		27.5"	53.4	73.0°	23.0	70.5°	62.2	29.5	6.0	48.7	4.4	7.9	116.4	87.9	41.2	68.8	
Allant+ 7 / 7S / 8S Stagger	S		27.5"	45.0	73.0°	14.0	69.0°	58.4	29.5	6.0	48.7	4.4	8.9	113.9	70.6	40.2	59.7	
	M		27.5"	45.0	73.0°	16.5	69.5°	59.5	29.5	6.0	48.7	4.4	8.4	114.2	71.0	40.5	62.1	
	L		27.5"	49.1	73.0°	19.5	70.0°	60.8	29.5	6.0	48.7	4.4	8.2	115.4	75.6	40.8	65.3	
Allant+ 7 / 7S / 8S Lowstep	S		27.5"	45.0	73.0°	15.0	69.0°	58.3	29.9	6.0	48.7	4.4	9.0	113.8	47.6	39.8	60.6	
	M		27.5"	45.0	73.0°	17.5	69.5°	59.3	29.9	6.0	48.7	4.4	8.6	114.1	47.8	40.0	63.1	
	L		27.5"	49.1	73.0°	20.5	70.0°	60.4	29.5	6.0	48.7	4.4	8.1	114.8	47.7	40.2	66.1	

2023 City Bike Geometry



All measurements in cm unless otherwise noted

Model			Frame Size Letter	Frame Size Number	Wheel Size	A - Seat Tube Length	B - Seat Tube Angle	C - Head Tube Angle	D - Head Tube Length	E - Effective Top Tube Length	F - Bottom Bracket Height	G - Bottom Bracket Drop	H - Chainstay Length	I - Fork Offset	J - Fork Trail	K - Wheelbase	L - Frame Standover	M - Frame Reach	N - Frame Stack
District 4 EQ	M			700c	45.0	73.0°	14.5	70.5°	57.4	29.3	7.0	46.8	4.5	8.1	109.0	79.8	38.5	61.9	
	L			700c	50.0	73.0°	17.0	71.0°	59.2	29.3	7.0	46.8	4.5	7.7	110.3	81.2	39.4	64.9	
	XL			700c	55.0	73.0°	20.0	71.5°	61.3	29.3	7.0	46.8	4.5	7.4	112.0	85.0	40.7	67.5	
	XXL			700c	60.0	73.0°	20.0	71.5°	62.8	29.3	7.0	46.8	4.5	7.4	113.3	89.1	42.1	67.5	
District 4 EQ Stagger	S			700c	45.0	73.5°	12.5	70.0°	56.1	29.3	7.0	46.8	4.5	8.4	108.6	66.0	38.2	60.2	
	M			700c	50.0	73.0°	14.5	70.5°	57.4	29.3	7.0	46.8	4.5	8.1	109.0	67.4	38.5	61.9	
	L			700c	55.0	73.0°	17.0	71.0°	59.1	29.3	7.0	46.8	4.5	7.7	110.2	69.1	39.4	64.4	
Dual Sport 1	L			27.5"	46.5	72.8°	19.0	70.8°	58.5	28.9	6.0	44.7	3.9	8.0	107.2	80.0	39.1	62.4	
	M			27.5"	42.0	73.3°	16.5	70.3°	56.5	28.9	6.0	44.7	3.9	8.3	106.3	76.1	38.5	59.8	
	S			27.5"	37.5	73.8°	14.0	69.8°	54.5	28.9	6.0	44.7	3.9	8.7	105.2	72.3	37.8	57.3	
	XL			27.5"	52.0	71.8°	21.5	71.8°	61.5	28.9	6.0	44.7	3.9	7.4	107.9	84.3	40.1	65.2	
	XS			27.5"	33.0	74.3°	11.5	69.3°	53.0	28.9	6.0	44.7	3.9	9.0	104.5	68.3	37.6	54.7	
Dual Sport+ 2	S	45cm		27.5"	40.8	73.5°	15.5	70.0°	56.9	27.8	7.0	46.8	5.0	7.6	109.2	73.9	38.2	60.4	
	M	50cm		27.5"	46.3	73.0°	17.0	70.5°	57.4	27.8	7.0	46.8	5.0	7.3	109.5	78.0	38.5	62.0	
	L	55cm		27.5"	50.7	73.0°	20.0	71.0°	59.2	27.8	7.0	46.8	5.0	6.9	110.9	82.0	39.3	65.0	
	XL	60cm		27.5"	55.8	73.0°	22.0	71.5°	61.2	27.8	7.0	46.8	5.0	6.6	112.3	85.7	40.7	67.2	
Dual Sport+ 2 Stagger	S	45cm		27.5"	40.8	73.5°	15.5	70.0°	56.9	27.8	7.0	46.8	5.0	7.6	109.2	65.5	38.2	60.4	
	M	50cm		27.5"	46.3	73.0°	17.0	70.5°	57.4	27.8	7.0	46.8	5.0	7.3	109.5	67.2	38.5	62.0	
	L	55cm		27.5"	50.7	73.0°	20.0	71.0°	59.2	27.8	7.0	46.8	5.0	6.9	110.9	69.3	39.3	65.0	
	XL	60cm		27.5"	55.8	73.0°	22.0	71.5°	61.2	27.8	7.0	46.8	5.0	6.6	112.3	70.8	40.7	67.2	

2023 City Bike Geometry



All measurements in cm unless otherwise noted

Model	Frame Size Letter	Frame Size Number	Wheel Size	A - Seat Tube Length	B - Seat Tube Angle	C - Head Tube Angle	D - Head Tube Length	E - Effective Top Tube Length	F - Bottom Bracket Height	G - Bottom Bracket Drop	H - Chainstay Length	I - Fork Offset	J - Fork Trail	K - Wheelbase	L - Frame Standover	M - Frame Reach	N - Frame Stack
Fetch+ 2	One size		20"	40.5	69.7°	26.6	69.6°	55.2	29.1	3.1	75.1	4.0	5.4	136.5	43.8	33.6	65.4
Fetch+ 4	One size		20" / 27.5	45.0	68.0°				28.5	7.0	48.8			201.8	45.0	39.0	89.3
FX 1 Rim Brake	XS		700c	40.0	75.0°	11.5	70.0°	52.8	28.5	6.5	44.7	5.0	7.4	105.2	67.5	38.3	54.3
	S		700c	45.0	74.5°	14.0	70.5°	54.3	28.5	6.5	44.7	5.0	7.1	105.9	71.5	38.5	56.8
	M		700c	44.5	74.0°	13.0	71.5°	55.7	29.6	6.5	45.0	5.0	6.8	106.0	73.8	39.7	55.7
	L		700c	50.8	73.5°	16.0	71.5°	57.1	29.6	6.5	45.0	5.0	6.8	107.0	79.9	39.8	58.6
	XL		700c	57.2	73.0°	19.0	72.5°	58.7	29.6	6.5	45.0	5.0	6.2	107.0	84.8	39.8	61.8
	XXL		700c	65.0	72.0°	24.0	73.0°	63.5	28.5	6.5	44.7	5.0	5.5	109.7	88.4	41.6	67.3
FX 1 Rim Brake Stagger	XS		700c	40.0	75.0°	11.5	70.0°	52.8	28.5	6.5	44.7	5.0	7.4	105.2	62.5	38.3	54.3
	S		700c	38.1	74.5°	13.0	70.5°	53.7	29.6	6.5	45.0	5.0	7.5	105.5	71.1	38.4	55.4
	M		700c	44.5	74.0°	15.0	70.5°	55.3	29.6	6.5	45.0	5.0	7.5	106.7	75.7	38.9	57.2
	L		700c	50.8	73.5°	17.0	71.5°	56.8	29.6	6.5	45.0	5.0	6.8	106.7	78.8	39.1	59.5
	XL		700c	60.0	72.5°	21.5	72.5°	61.3	28.5	6.5	44.7	5.0	5.8	108.7	61.7	40.9	64.8

2023 City Bike Geometry



All measurements in cm unless otherwise noted

Model	Frame Size Letter	Frame Size Number	Wheel Size	A - Seat Tube Length	B - Seat Tube Angle	C - Head Tube Angle	D - Head Tube Length	E - Effective Top Tube Length	F - Bottom Bracket Height	G - Bottom Bracket Drop	H - Chainstay Length	I - Fork Offset	J - Fork Trail	K - Wheelbase	L - Frame Standover	M - Frame Reach	N - Frame Stack
FX Alloy Disc	XS		700c	33.0	75.0°	11.5	70.0°	52.7	29.6	6.5	45.0	5.0	7.8	105.3	67.3	38.3	53.7
	S		700c	38.1	74.5°	11.5	70.5°	54.2	29.6	6.5	45.0	5.0	7.5	105.9	70.4	39.3	53.9
	M		700c	44.5	74.0°	13.0	71.5°	55.7	29.6	6.5	45.0	5.0	6.8	106.0	73.8	39.7	55.7
	L		700c	50.8	73.5°	16.0	71.5°	57.1	29.6	6.5	45.0	5.0	6.8	107.0	79.9	39.8	58.6
	XL		700c	57.2	73.0°	19.0	72.5°	58.7	29.6	6.5	45.0	5.0	6.2	107.0	84.8	39.8	61.8
	XXL		700c	63.5	72.0°	22.0	72.5°	60.1	29.6	6.5	45.0	5.0	6.2	107.2	88.5	39.2	64.7
FX Alloy Disc Stagger	S		700c	38.1	74.5°	13.0	70.5°	53.7	29.6	6.5	45.0	5.0	7.5	105.5	71.1	38.4	55.4
	M		700c	44.5	74.0°	15.0	70.5°	55.3	29.6	6.5	45.0	5.0	7.5	106.7	75.7	38.9	57.2
	L		700c	50.8	73.5°	17.0	71.5°	56.8	29.6	6.5	45.0	5.0	6.8	106.7	78.8	39.1	59.5
FX Sport	L		700c	50.8	73.5°	19.0	71.5°	58.3	28.5	6.5	44.2	5.0	6.4	107.5	81.2	40.0	62.0
	M		700c	45.7	74.0°	16.5	71.0°	56.3	28.5	6.5	44.2	5.0	6.8	106.5	78.7	39.3	59.4
	S		700c	40.6	74.5°	14.0	70.5°	54.3	28.5	6.5	44.2	5.0	7.1	105.4	75.1	38.5	56.8
	XL		700c	55.9	72.5°	21.5	72.5°	61.3	28.5	6.5	44.2	5.0	5.8	108.2	84.8	41.0	64.8
	XS		700c	35.6	75.0°	11.5	70.0°	52.8	28.5	6.5	44.2	5.0	7.4	104.7	70.8	38.3	54.3

2023 City Bike Geometry



All measurements in cm unless otherwise noted

Model	All measurements in cm unless otherwise noted																
	Frame Size Letter	Frame Size Number	Wheel Size	A - Seat Tube Length	B - Seat Tube Angle	C - Head Tube Length	D - Head Tube Angle	E - Effective Top Tube Length	F - Bottom Bracket Height	G - Bottom Bracket Drop	H - Chainstay Length	I - Fork Offset	J - Fork Trail	K - Wheelbase	L - Frame Standover	M - Frame Reach	N - Frame Stack
FX+ 2	S	45cm	700c	40.8	73.5°	15.5	70.0°	56.9	28.6	7.0	46.8	5.0	7.6	109.2	73.9	38.2	60.4
	M	50cm	700c	46.3	73.0°	17.0	70.5°	57.4	28.6	7.0	46.8	5.0	7.3	109.5	78.0	38.5	62.0
	L	55cm	700c	50.7	73.0°	20.0	71.0°	59.2	28.6	7.0	46.8	5.0	6.9	110.9	82.0	39.3	65.0
	XL	60cm	700c	55.8	73.0°	22.0	71.5°	61.2	28.6	7.0	46.8	5.0	6.6	112.3	85.7	40.7	67.2
FX+ 2 Stagger	S	45cm	700c	40.8	73.5°	15.5	70.0°	56.9	28.6	7.0	46.8	5.0	7.6	109.2	65.5	38.2	60.4
	M	50cm	700c	46.3	73.0°	17.0	70.5°	57.4	28.6	7.0	46.8	5.0	7.3	109.5	67.2	38.5	62.0
	L	55cm	700c	50.7	73.0°	20.0	71.0°	59.2	28.6	7.0	46.8	5.0	6.9	110.9	69.3	39.3	65.0
	XL	60cm	700c	55.8	73.0°	22.0	71.5°	61.2	28.6	7.0	46.8	5.0	6.6	112.3	70.8	40.7	67.2
Verve	S		700c	37.0	74.5°	14.0	70.5°	55.2	30.1	6.2	47.0	4.5	8.1	109.2	71.8	38.2	61.5
	M		700c	43.0	73.5°	15.0	70.5°	57.5	30.1	6.2	47.0	4.5	8.1	110.0	76.9	38.7	62.4
	L		700c	48.5	72.0°	16.0	70.5°	59.8	30.1	6.2	47.0	4.5	8.1	110.3	80.3	39.2	63.4
	XL		700c	55.0	72.0°	18.0	70.5°	61.2	30.1	6.2	47.0	4.5	8.1	111.8	84.6	40.0	65.3
	XXL		700c	60.0	72.0°	19.0	70.5°	62.3	30.1	6.2	47.0	4.5	8.1	112.9	87.5	40.8	66.3
Verve Low Step	XS		700c	35.0	74.5°	14.0	70.5°	54.6	30.1	6.2	47.0	4.5	8.1	108.0	63.1	37.5	61.5
	S		700c	44.0	73.5°	16.0	70.5°	56.8	30.1	6.2	47.0	4.5	8.1	109.6	65.4	38.0	63.4
	M		700c	50.0	72.0°	17.0	70.5°	59.4	30.1	6.2	47.0	4.5	8.1	110.5	68.2	38.5	64.4
	L		700c	55.0	72.0°	18.0	70.5°	60.4	30.1	6.2	47.0	4.5	8.1	111.0	69.4	39.2	65.3
	XL		700c	60.0	72.0°	18.0	70.5°	61.2	30.1	6.2	47.0	4.5	8.1	111.8	71.1	40.0	65.3

2023 City Bike Geometry



All measurements in cm unless otherwise noted

Model	Frame Size Letter	Frame Size Number	Wheel Size	A - Seat Tube Length	B - Seat Tube Angle	C - Head Tube Angle	D - Head Tube Length	E - Effective Top Tube Length	F - Bottom Bracket Height	G - Bottom Bracket Drop	H - Chainstay Length	I - Fork Offset	J - Fork Trail	K - Wheelbase	L - Frame Standover	M - Frame Reach	N - Frame Stack
Verve+ 2	M	50 cm	700c	50.0	70.5°	16.0	68.5°	60.1	30.2	6.2	50.2	4.5	9.5	114.8	79.1	38.3	61.6
	L	55 cm	700c	55.0	70.0°	16.0	68.5°	60.7	30.2	6.2	50.2	4.5	9.5	114.8	81.9	38.3	61.6
	XL	60 cm	700c	60.0	70.0°	18.0	68.5°	61.9	30.2	6.2	50.2	4.5	9.5	116.0	85.5	38.8	63.5
Verve+ 2 Lowstep	XS		700c	39.0	71.0°	16.0	68.5°	58.2	30.2	4.5	47.7	4.5	8.2	111.5	42.1	38.5	57.1
	S		700c	44.0	70.0°	16.0	68.5°	58.8	28.6	6.2	50.2	4.5	9.5	114.1	44.0	37.6	61.6
	M		700c	50.0	70.0°	18.0	68.5°	60.9	30.2	6.2	50.2	4.5	9.5	115.0	44.0	37.8	63.5
	L		700c	55.0	70.0°	18.0	68.5°	62.4	30.2	6.2	50.2	4.5	9.5	116.5	44.0	39.3	63.5
	XL		700c	60.0	70.0°	18.0	68.5°	63.8	30.2	6.2	50.2	4.5	9.5	117.9	44.0	40.7	63.5
Verve+ 3 / 4S	M	50 cm	700c	50.0	71.0°	18.0	68.2°	59.8	29.4	6.5	48.7	4.5	9.5	114.0	81.8	37.5	64.9
	L	55 cm	700c	55.0	71.0°	20.0	68.2°	61.0	29.4	6.5	48.7	4.5	9.5	115.2	85.3	38.0	66.8
	XL	60 cm	700c	60.0	71.0°	22.0	68.2°	62.1	29.4	6.5	48.7	4.5	9.5	116.5	88.7	38.5	68.6
	XXL	65 cm	700c	65.0	71.0°	22.0	68.2°	62.6	29.4	6.5	48.7	4.5	9.5	117.0	91.1	39.0	68.6
Verve+ 3 / 4S Lowstep	XS	40 cm	700c	39.0	71.0°	16.0	68.2°	58.2	29.4	6.5	48.7	4.5	9.5	112.2	43.3	36.5	63.0
	S	45 cm	700c	44.0	71.0°	16.0	68.2°	58.7	29.4	6.5	48.7	4.5	9.5	112.7	43.3	38.5	63.0
	M	50 cm	700c	50.0	71.0°	18.0	68.2°	59.8	29.4	6.5	48.7	4.5	9.5	114.0	43.3	38.5	64.9
	L	55 cm	700c	55.0	71.0°	20.0	68.2°	61.0	29.4	6.5	48.7	4.5	9.5	115.2	43.3	38.5	66.8
	XL	60 cm	700c	60.0	71.0°	22.0	68.2°	62.1	29.4	6.5	48.7	4.5	9.5	116.5	43.3	38.5	68.6