

# 2024 City Bike Geometry



All measurements in cm unless otherwise noted

| Name                        | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|-----------------------------|-------------------|-------------------|------------|----------------------|---------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| 1120                        | S                 | 15.5              | 29+        | 39.4                 | 73.5°               | 10.0                 | 70.4°               | 56.0                          | 31.4                      | 7.6                     | 44.0                 | 5.1             | 8.5            | 108.2         | 77.8                | 39.6            | 63.4            |
|                             | M                 | 17.5              | 29+        | 41.9                 | 73.5°               | 10.0                 | 70.4°               | 58.6                          | 31.5                      | 7.5                     | 44.0                 | 5.1             | 8.5            | 110.8         | 79.1                | 42.2            | 63.4            |
|                             | L                 | 19.5              | 29+        | 47.0                 | 73.5°               | 11.0                 | 70.3°               | 61.9                          | 31.5                      | 7.5                     | 44.0                 | 5.1             | 8.5            | 114.2         | 79.2                | 45.1            | 64.2            |
|                             | XL                | 21.5              | 29+        | 52.1                 | 73.5°               | 12.0                 | 70.3°               | 64.3                          | 31.5                      | 7.5                     | 44.0                 | 5.1             | 8.6            | 116.6         | 79.2                | 47.1            | 65.1            |
| 920                         |                   | 49 cm             | 29"        | 44.0                 | 74.5°               | 9.5                  | 70.0°               | 54.0                          | 28.3                      | 8.5                     | 46.5                 | 5.5             | 7.5            | 107.2         | 72.2                | 38.5            | 55.6            |
|                             |                   | 52 cm             | 29"        | 47.0                 | 74.0°               | 10.5                 | 70.5°               | 55.1                          | 28.3                      | 8.5                     | 46.5                 | 5.5             | 7.2            | 107.4         | 74.3                | 38.8            | 56.7            |
|                             |                   | 54 cm             | 29"        | 49.0                 | 73.8°               | 12.0                 | 71.0°               | 56.2                          | 28.3                      | 8.5                     | 46.5                 | 5.5             | 6.8            | 107.9         | 76.0                | 39.2            | 58.3            |
|                             |                   | 56 cm             | 29"        | 51.0                 | 73.3°               | 14.5                 | 71.3°               | 57.8                          | 28.3                      | 8.5                     | 46.5                 | 5.5             | 6.7            | 108.8         | 77.8                | 39.5            | 60.8            |
|                             |                   | 58 cm             | 29"        | 53.0                 | 73.0°               | 16.5                 | 71.3°               | 59.4                          | 28.3                      | 8.5                     | 46.5                 | 5.5             | 6.7            | 110.0         | 79.6                | 40.2            | 62.7            |
|                             |                   | 61 cm             | 29"        | 56.0                 | 72.8°               | 18.0                 | 71.5°               | 60.4                          | 28.3                      | 8.5                     | 46.5                 | 5.5             | 6.5            | 110.7         | 81.7                | 40.5            | 64.2            |
| Allant+ 7 / 7S / 8S         | M                 |                   | 27.5"      | 44.6                 | 73.0°               | 16.5                 | 69.5°               | 59.5                          | 29.5                      | 6.0                     | 48.7                 | 4.4             | 8.6            | 114.6         | 79.5                | 40.5            | 62.3            |
|                             | L                 |                   | 27.5"      | 49.1                 | 73.0°               | 19.5                 | 70.0°               | 60.7                          | 29.5                      | 6.0                     | 48.7                 | 4.4             | 8.1            | 115.0         | 83.7                | 40.8            | 65.2            |
|                             | XL                |                   | 27.5"      | 53.4                 | 73.0°               | 23.0                 | 70.5°               | 62.2                          | 29.5                      | 6.0                     | 48.7                 | 4.4             | 7.9            | 116.4         | 87.9                | 41.2            | 68.8            |
| Allant+ 7 / 7S / 8S Stagger | S                 |                   | 27.5"      | 45.0                 | 73.0°               | 14.0                 | 69.0°               | 58.4                          | 29.5                      | 6.0                     | 48.7                 | 4.4             | 8.9            | 113.9         | 70.6                | 40.2            | 59.7            |
|                             | M                 |                   | 27.5"      | 45.0                 | 73.0°               | 16.5                 | 69.5°               | 59.5                          | 29.5                      | 6.0                     | 48.7                 | 4.4             | 8.4            | 114.2         | 71.0                | 40.5            | 62.1            |
|                             | L                 |                   | 27.5"      | 49.1                 | 73.0°               | 19.5                 | 70.0°               | 60.8                          | 29.5                      | 6.0                     | 48.7                 | 4.4             | 8.2            | 115.4         | 75.6                | 40.8            | 65.3            |

# 2024 City Bike Geometry



All measurements in cm unless otherwise noted

| Name                     | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|--------------------------|-------------------|-------------------|------------|----------------------|---------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| District 4 EQ            | M                 |                   | 700c       | 45.0                 | 73.0°               | 14.5                 | 70.5°               | 57.4                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 8.1            | 109.0         | 79.8                | 38.5            | 61.9            |
|                          | L                 |                   | 700c       | 50.0                 | 73.0°               | 17.0                 | 71.0°               | 59.2                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 7.7            | 110.3         | 81.2                | 39.4            | 64.9            |
|                          | XL                |                   | 700c       | 55.0                 | 73.0°               | 20.0                 | 71.5°               | 61.3                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 7.4            | 112.0         | 85.0                | 40.7            | 67.5            |
|                          | XXL               |                   | 700c       | 60.0                 | 73.0°               | 20.0                 | 71.5°               | 62.8                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 7.4            | 113.3         | 89.1                | 42.1            | 67.5            |
| District 4 EQ Stagger    | S                 |                   | 700c       | 45.0                 | 73.5°               | 12.5                 | 70.0°               | 56.1                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 8.4            | 108.6         | 66.0                | 38.2            | 60.2            |
|                          | M                 |                   | 700c       | 50.0                 | 73.0°               | 14.5                 | 70.5°               | 57.4                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 8.1            | 109.0         | 67.4                | 38.5            | 61.9            |
|                          | L                 |                   | 700c       | 55.0                 | 73.0°               | 17.0                 | 71.0°               | 59.1                          | 29.3                      | 7.0                     | 46.8                 | 4.5             | 7.7            | 110.2         | 69.1                | 39.4            | 64.4            |
| Dual Sport 1 / 2 / 3     | XS                |                   | 27.5"      | 33.0                 | 74.3°               | 11.5                 | 69.3°               | 53.0                          | 28.9                      | 6.0                     | 44.7                 | 3.9             | 9.0            | 104.5         | 68.3                | 37.6            | 54.7            |
|                          | S                 |                   | 27.5"      | 37.5                 | 73.8°               | 14.0                 | 69.8°               | 54.5                          | 28.9                      | 6.0                     | 44.7                 | 3.9             | 8.7            | 105.2         | 72.3                | 37.8            | 57.3            |
|                          | M                 |                   | 27.5"      | 42.0                 | 73.3°               | 16.5                 | 70.3°               | 56.5                          | 28.9                      | 6.0                     | 44.7                 | 3.9             | 8.3            | 106.3         | 76.1                | 38.5            | 59.8            |
|                          | L                 |                   | 27.5"      | 46.5                 | 72.8°               | 19.0                 | 70.8°               | 58.5                          | 28.9                      | 6.0                     | 44.7                 | 3.9             | 8.0            | 107.2         | 80.0                | 39.1            | 62.4            |
|                          | XL                |                   | 27.5"      | 52.0                 | 71.8°               | 21.5                 | 71.8°               | 61.5                          | 28.9                      | 6.0                     | 44.7                 | 3.9             | 7.4            | 107.9         | 84.3                | 40.1            | 65.2            |
| Dual Sport+ 2 LT         | S                 | 45cm              | 27.5"      | 40.8                 | 73.5°               | 15.5                 | 70.0°               | 56.9                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 7.6            | 109.2         | 73.9                | 38.2            | 60.4            |
|                          | M                 | 50cm              | 27.5"      | 46.3                 | 73.0°               | 17.0                 | 70.5°               | 57.4                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 7.3            | 109.5         | 78.0                | 38.5            | 62.0            |
|                          | L                 | 55cm              | 27.5"      | 50.7                 | 73.0°               | 20.0                 | 71.0°               | 59.2                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 6.9            | 110.9         | 82.0                | 39.3            | 65.0            |
|                          | XL                | 60cm              | 27.5"      | 55.8                 | 73.0°               | 22.0                 | 71.5°               | 61.2                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 6.6            | 112.3         | 85.7                | 40.7            | 67.2            |
| Dual Sport+ 2 Stagger LT | S                 | 45cm              | 27.5"      | 40.8                 | 73.5°               | 15.5                 | 70.0°               | 56.9                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 7.6            | 109.2         | 65.5                | 38.2            | 60.4            |
|                          | M                 | 50cm              | 27.5"      | 46.3                 | 73.0°               | 17.0                 | 70.5°               | 57.4                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 7.3            | 109.5         | 67.2                | 38.5            | 62.0            |
|                          | L                 | 55cm              | 27.5"      | 50.7                 | 73.0°               | 20.0                 | 71.0°               | 59.2                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 6.9            | 110.9         | 69.3                | 39.3            | 65.0            |
|                          | XL                | 60cm              | 27.5"      | 55.8                 | 73.0°               | 22.0                 | 71.5°               | 61.2                          | 27.8                      | 7.0                     | 46.8                 | 5.0             | 6.6            | 112.3         | 70.8                | 40.7            | 67.2            |

# 2024 City Bike Geometry



All measurements in cm unless otherwise noted

| Name                   | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|------------------------|-------------------|-------------------|------------|----------------------|---------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Fetch+ 2               | One size          |                   | 20"        | 40.5                 | 69.7°               | 26.6                 | 69.6°               | 55.2                          | 29.1                      | 3.1                     | 75.1                 | 4.0             | 5.4            | 136.5         | 43.8                | 33.6            | 65.4            |
| Fetch+ 4               | One size          |                   | 20"/27.5"  | 45.0                 | 68.0°               |                      |                     |                               | 28.5                      | 7.0                     | 48.8                 |                 |                | 201.8         | 45.0                | 39.0            | 89.3            |
| FX 1 Rim Brake         | XS                |                   | 700c       | 40.0                 | 75.0°               | 11.5                 | 70.0°               | 52.8                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 7.4            | 105.2         | 67.5                | 38.3            | 54.3            |
|                        | S                 |                   | 700c       | 45.0                 | 74.5°               | 14.0                 | 70.5°               | 54.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 7.1            | 105.9         | 71.5                | 38.5            | 56.8            |
|                        | M                 |                   | 700c       | 44.5                 | 74.0°               | 13.0                 | 71.5°               | 55.7                          | 29.6                      | 6.5                     | 45.0                 | 5.0             | 6.8            | 106.0         | 73.8                | 39.7            | 55.7            |
|                        | L                 |                   | 700c       | 50.8                 | 73.5°               | 16.0                 | 71.5°               | 57.1                          | 29.6                      | 6.5                     | 45.0                 | 5.0             | 6.8            | 107.0         | 79.9                | 39.8            | 58.6            |
|                        | XL                |                   | 700c       | 57.2                 | 73.0°               | 19.0                 | 72.5°               | 58.7                          | 29.6                      | 6.5                     | 45.0                 | 5.0             | 6.2            | 107.0         | 84.8                | 39.8            | 61.8            |
|                        | XXL               |                   | 700c       | 65.0                 | 72.0°               | 24.0                 | 73.0°               | 63.5                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 5.5            | 109.7         | 88.4                | 41.6            | 67.3            |
| FX 1 Rim Brake Stagger | XS                |                   | 700c       | 40.0                 | 75.0°               | 11.5                 | 70.0°               | 52.8                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 7.4            | 105.2         | 62.5                | 38.3            | 54.3            |
|                        | S                 |                   | 700c       | 38.1                 | 74.5°               | 13.0                 | 70.5°               | 53.7                          | 29.6                      | 6.5                     | 45.0                 | 5.0             | 7.5            | 105.5         | 71.1                | 38.4            | 55.4            |
|                        | M                 |                   | 700c       | 44.5                 | 74.0°               | 15.0                 | 70.5°               | 55.3                          | 29.6                      | 6.5                     | 45.0                 | 5.0             | 7.5            | 106.7         | 75.7                | 38.9            | 57.2            |
|                        | L                 |                   | 700c       | 50.8                 | 73.5°               | 17.0                 | 71.5°               | 56.8                          | 29.6                      | 6.5                     | 45.0                 | 5.0             | 6.8            | 106.7         | 78.8                | 39.1            | 59.5            |
|                        | XL                |                   | 700c       | 60.0                 | 72.5°               | 21.5                 | 72.5°               | 61.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 5.8            | 108.7         | 61.7                | 40.9            | 64.8            |

# 2024 City Bike Geometry



All measurements in cm unless otherwise noted

| Name             | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|------------------|-------------------|-------------------|------------|----------------------|---------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| FX 1 / 2 / 3     | XS                | 40                | 700c       | 33.0                 | 75.0°               | 11.5                 | 70.0°               | 52.8                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 7.4            | 105.2         | 67.5                | 38.3            | 54.3            |
|                  | S                 | 45                | 700c       | 37.5                 | 74.5°               | 14.0                 | 70.5°               | 54.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 7.1            | 105.9         | 71.5                | 38.5            | 56.8            |
|                  | M                 | 50                | 700c       | 42.0                 | 74.0°               | 16.5                 | 71.0°               | 56.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 6.8            | 107.0         | 75.4                | 39.3            | 59.4            |
|                  | L                 | 55                | 700c       | 46.5                 | 73.5°               | 19.0                 | 71.5°               | 58.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 6.4            | 108.0         | 79.1                | 39.9            | 62.0            |
|                  | XL                | 60                | 700c       | 52.0                 | 72.5°               | 21.5                 | 72.5°               | 61.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 5.8            | 108.7         | 83.6                | 40.9            | 64.8            |
|                  | XXL               | 65                | 700c       | 58.5                 | 72.0°               | 24.0                 | 73.0°               | 63.5                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 5.5            | 109.7         | 88.4                | 41.6            | 67.3            |
| FX 1 / 2 Stagger | S                 | 45                | 700c       | 37.5                 | 74.5°               | 14.0                 | 70.5°               | 54.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 7.1            | 105.9         | 62.3                | 38.5            | 56.8            |
|                  | M                 | 50                | 700c       | 42.0                 | 74.0°               | 16.5                 | 71.0°               | 56.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 6.8            | 107.0         | 62.2                | 39.3            | 59.4            |
|                  | L                 | 55                | 700c       | 46.5                 | 73.5°               | 19.0                 | 71.5°               | 58.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 6.4            | 108.0         | 62.4                | 39.9            | 62.0            |
|                  | XL                | 60                | 700c       | 52.0                 | 72.5°               | 21.5                 | 72.5°               | 61.3                          | 28.5                      | 6.5                     | 44.7                 | 5.0             | 5.8            | 108.7         | 61.7                | 40.9            | 64.8            |
| FX Sport Carbon  | XS                |                   | 700c       | 35.6                 | 75.0°               | 11.5                 | 70.0°               | 52.8                          | 28.5                      | 6.5                     | 44.2                 | 5.0             | 7.4            | 104.7         | 70.8                | 38.3            | 54.3            |
|                  | S                 |                   | 700c       | 40.6                 | 74.5°               | 14.0                 | 70.5°               | 54.3                          | 28.5                      | 6.5                     | 44.2                 | 5.0             | 7.1            | 105.4         | 75.1                | 38.5            | 56.8            |
|                  | M                 |                   | 700c       | 45.7                 | 74.0°               | 16.5                 | 71.0°               | 56.3                          | 28.5                      | 6.5                     | 44.2                 | 5.0             | 6.8            | 106.5         | 78.7                | 39.3            | 59.4            |
|                  | L                 |                   | 700c       | 50.8                 | 73.5°               | 19.0                 | 71.5°               | 58.3                          | 28.5                      | 6.5                     | 44.2                 | 5.0             | 6.4            | 107.5         | 81.2                | 40.0            | 62.0            |
|                  | XL                |                   | 700c       | 55.9                 | 72.5°               | 21.5                 | 72.5°               | 61.3                          | 28.5                      | 6.5                     | 44.2                 | 5.0             | 5.8            | 108.2         | 84.8                | 41.0            | 64.8            |

# 2024 City Bike Geometry



All measurements in cm unless otherwise noted

| Name                    | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|-------------------------|-------------------|-------------------|------------|----------------------|---------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| FX+ 2 LT                | S                 | 45cm              | 700c       | 40.8                 | 73.5°               | 15.5                 | 70.0°               | 56.9                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 7.6            | 109.2         | 73.9                | 38.2            | 60.4            |
|                         | M                 | 50cm              | 700c       | 46.3                 | 73.0°               | 17.0                 | 70.5°               | 57.4                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 7.3            | 109.5         | 78.0                | 38.5            | 62.0            |
|                         | L                 | 55cm              | 700c       | 50.7                 | 73.0°               | 20.0                 | 71.0°               | 59.2                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 6.9            | 110.9         | 82.0                | 39.3            | 65.0            |
|                         | XL                | 60cm              | 700c       | 55.8                 | 73.0°               | 22.0                 | 71.5°               | 61.2                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 6.6            | 112.3         | 85.7                | 40.7            | 67.2            |
| FX+ 2 Stagger LT        | S                 | 45cm              | 700c       | 40.8                 | 73.5°               | 15.5                 | 70.0°               | 56.9                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 7.6            | 109.2         | 65.5                | 38.2            | 60.4            |
|                         | M                 | 50cm              | 700c       | 46.3                 | 73.0°               | 17.0                 | 70.5°               | 57.4                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 7.3            | 109.5         | 67.2                | 38.5            | 62.0            |
|                         | L                 | 55cm              | 700c       | 50.7                 | 73.0°               | 20.0                 | 71.0°               | 59.2                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 6.9            | 110.9         | 69.3                | 39.3            | 65.0            |
|                         | XL                | 60cm              | 700c       | 55.8                 | 73.0°               | 22.0                 | 71.5°               | 61.2                          | 28.6                      | 7.0                     | 46.8                 | 5.0             | 6.6            | 112.3         | 70.8                | 40.7            | 67.2            |
| Verve 1 / 2 / 3         | S                 |                   | 700c       | 37.0                 | 74.5°               | 14.0                 | 70.5°               | 55.2                          | 30.1                      | 6.2                     | 47.0                 | 4.5             | 8.1            | 109.2         | 71.8                | 38.2            | 61.5            |
|                         | M                 |                   | 700c       | 43.0                 | 73.5°               | 15.0                 | 70.5°               | 57.5                          | 30.1                      | 6.2                     | 47.0                 | 4.5             | 8.1            | 110.0         | 76.9                | 38.7            | 62.4            |
|                         | L                 |                   | 700c       | 48.5                 | 72.0°               | 16.0                 | 70.5°               | 59.8                          | 30.1                      | 6.2                     | 47.0                 | 4.5             | 8.1            | 110.3         | 80.3                | 39.2            | 63.4            |
|                         | XL                |                   | 700c       | 55.0                 | 72.0°               | 18.0                 | 70.5°               | 61.2                          | 30.1                      | 6.2                     | 47.0                 | 4.5             | 8.1            | 111.8         | 84.6                | 40.0            | 65.3            |
|                         | XXL               |                   | 700c       | 60.0                 | 72.0°               | 19.0                 | 70.5°               | 62.3                          | 30.1                      | 6.2                     | 47.0                 | 4.5             | 8.1            | 112.9         | 87.5                | 40.8            | 66.3            |
| Verve+ 1 LT / 2 Lowstep | S                 |                   | 700c       | 38.0                 | 72.0°               | 15.0                 | 69.0°               | 57.1                          | 28.9                      | 6.0                     | 48.7                 | 4.6             | 8.5            | 111.7         | 41.0                | 37.0            | 61.8            |
|                         | M                 |                   | 700c       | 47.0                 | 71.0°               | 17.0                 | 69.5°               | 62.0                          | 28.9                      | 6.0                     | 48.7                 | 4.6             | 8.4            | 114.9         | 41.0                | 40.0            | 63.9            |
|                         | L                 |                   | 700c       | 56.0                 | 70.0°               | 22.5                 | 70.0°               | 67.2                          | 28.9                      | 6.0                     | 48.7                 | 4.6             | 7.8            | 118.3         | 41.0                | 42.0            | 69.3            |

2024 City Bike Geometry



All measurements in cm unless otherwise noted

| Name                  | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|-----------------------|-------------------|-------------------|------------|----------------------|---------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Verve+ 3 / 4S         | M                 | 50 cm             | 700c       | 50.0                 | 71.0°               | 18.0                 | 68.2°               | 59.8                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 114.0         | 81.8                | 37.5            | 64.9            |
|                       | L                 | 55 cm             | 700c       | 55.0                 | 71.0°               | 20.0                 | 68.2°               | 61.0                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 115.2         | 85.3                | 38.0            | 66.8            |
|                       | XL                | 60 cm             | 700c       | 60.0                 | 71.0°               | 22.0                 | 68.2°               | 62.1                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 116.5         | 88.7                | 38.5            | 68.6            |
|                       | XXL               | 65 cm             | 700c       | 65.0                 | 71.0°               | 22.0                 | 68.2°               | 62.6                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 117.0         | 91.1                | 39.0            | 68.6            |
| Verve+ 3 / 4S Lowstep | XS                | 40 cm             | 700c       | 39.0                 | 71.0°               | 16.0                 | 68.2°               | 58.2                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 112.2         | 43.3                | 36.5            | 63.0            |
|                       | S                 | 45 cm             | 700c       | 44.0                 | 71.0°               | 16.0                 | 68.2°               | 58.7                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 112.7         | 43.3                | 38.5            | 63.0            |
|                       | M                 | 50 cm             | 700c       | 50.0                 | 71.0°               | 18.0                 | 68.2°               | 59.8                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 114.0         | 43.3                | 38.5            | 64.9            |
|                       | L                 | 55 cm             | 700c       | 55.0                 | 71.0°               | 20.0                 | 68.2°               | 61.0                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 115.2         | 43.3                | 38.5            | 66.8            |
|                       | XL                | 60 cm             | 700c       | 60.0                 | 71.0°               | 22.0                 | 68.2°               | 62.1                          | 29.4                      | 6.5                     | 48.7                 | 4.5             | 9.5            | 116.5         | 43.3                | 38.5            | 68.6            |