

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

|                              |     |                   |                   |            |                      |                     |                           |                      |                     |                               |                           |                         |                      |                 |                |               |                     |                 | Frame Measurements |
|------------------------------|-----|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|--------------------|
| Model                        |     | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack    |
| Farley Alloy Rigid Fork      | S   | 15.5"             | 27.5"             | 38.0       | 72.5°                | 74.0°               | 9.0                       | 68.5°                | 56.5                | 32.0                          | 6.5                       | 45.0                    | 4.2                  | 10.7            | 109.7          | 73.0          | 40.0                | 58.9            |                    |
|                              | M   | 17.5"             | 27.5"             | 42.0       | 72.5°                | 74.0°               | 10.0                      | 68.5°                | 59.8                | 32.0                          | 6.5                       | 45.0                    | 4.2                  | 10.7            | 113.1          | 74.0          | 43.0                | 59.9            |                    |
|                              | L   | 18.5"             | 27.5"             | 45.0       | 72.5°                | 74.0°               | 11.5                      | 68.5°                | 63.3                | 32.0                          | 6.5                       | 45.0                    | 4.2                  | 10.7            | 116.6          | 76.0          | 46.0                | 61.3            |                    |
|                              | XL  | 19.5"             | 27.5"             | 49.0       | 72.5°                | 74.0°               | 13.0                      | 68.5°                | 67.2                | 32.0                          | 6.5                       | 45.0                    | 4.2                  | 10.7            | 120.7          | 78.0          | 49.5                | 62.6            |                    |
| Farley Alloy Suspension Fork | S   | 15.5"             | 27.5"             | 38.0       | 71.7°                | 73.2°               | 9.0                       | 67.7°                | 56.8                | 32.6                          | 5.9                       | 45.0                    | 5.1                  | 10.3            | 111.3          | 73.8          | 39.1                | 59.5            |                    |
|                              | M   | 17.5"             | 27.5"             | 42.0       | 71.7°                | 73.2°               | 10.0                      | 67.7°                | 60.9                | 32.6                          | 5.9                       | 45.0                    | 5.1                  | 10.3            | 114.7          | 74.8          | 42.1                | 60.5            |                    |
|                              | L   | 18.5"             | 27.5"             | 45.0       | 71.7°                | 73.2°               | 11.5                      | 67.7°                | 63.5                | 32.6                          | 5.9                       | 45.0                    | 5.1                  | 10.3            | 118.2          | 76.8          | 45.2                | 61.9            |                    |
|                              | XL  | 19.5"             | 27.5"             | 49.0       | 71.7°                | 73.2°               | 13.0                      | 67.7°                | 67.5                | 32.6                          | 5.9                       | 45.0                    | 5.1                  | 10.3            | 122.3          | 78.7          | 48.7                | 63.3            |                    |
| Farley Carbon                | S   | 15.5"             | 27.5"             | 39.4       | 71.5°                | 73.0°               | 10.0                      | 69.0°                | 56.7                | 32.1                          | 6.7                       | 45.5                    | 5.1                  | 9.4             | 109.2          | 76.3          | 38.3                | 60.1            |                    |
|                              | M   | 17.5"             | 27.5"             | 41.9       | 71.5°                | 73.0°               | 10.0                      | 69.0°                | 59.4                | 32.1                          | 6.7                       | 45.5                    | 5.1                  | 9.4             | 111.9          | 75.7          | 41.0                | 60.1            |                    |
|                              | L   | 19.5"             | 27.5"             | 47.0       | 71.5°                | 73.0°               | 12.0                      | 69.0°                | 63.1                | 32.1                          | 6.7                       | 45.5                    | 5.1                  | 9.4             | 115.8          | 77.6          | 44.1                | 61.9            |                    |
|                              | XL  | 21.5"             | 27.5"             | 52.1       | 71.5°                | 73.0°               | 12.0                      | 69.0°                | 64.4                | 32.1                          | 6.7                       | 45.5                    | 5.1                  | 9.4             | 117.1          | 77.4          | 45.4                | 61.9            |                    |
| Marlin Gen 3                 | XXS | 13.5"             | 26"               | 32.0       | 74.0°                | 74.0°               | 9.0                       | 66.5°                | 52.1                | 30.2                          | 3.8                       | 43.3                    | 4.0                  | 10.4            | 106.0          | 65.0          | 36.5                | 54.4            |                    |
|                              | XS  | 14.5"             | 27.5"             | 34.0       | 73.8°                | 74.0°               | 9.0                       | 66.5°                | 55.1                | 31.3                          | 4.5                       | 43.3                    | 4.2                  | 11.0            | 109.2          | 65.8          | 39.0                | 56.3            |                    |
|                              | S   | 15.5"             | 27.5"             | 37.0       | 73.8°                | 74.0°               | 10.0                      | 66.5°                | 57.9                | 31.3                          | 4.5                       | 43.3                    | 4.2                  | 11.0            | 112.1          | 69.2          | 41.5                | 57.2            |                    |
|                              | M   | 17.5"             | 29"               | 42.0       | 73.4°                | 74.0°               | 10.5                      | 66.5°                | 61.5                | 30.8                          | 6.0                       | 43.8                    | 4.6                  | 11.0            | 116.3          | 74.7          | 44.0                | 60.9            |                    |
|                              | ML  | 18.5"             | 29"               | 43.5       | 73.4°                | 74.0°               | 11.0                      | 66.5°                | 63.1                | 30.8                          | 6.0                       | 43.8                    | 4.6                  | 11.0            | 118.0          | 75.9          | 45.5                | 61.4            |                    |
|                              | L   | 19.5"             | 29"               | 45.0       | 73.4°                | 74.0°               | 11.5                      | 66.5°                | 64.7                | 30.8                          | 6.0                       | 43.8                    | 4.6                  | 11.0            | 119.7          | 77.1          | 47.0                | 61.8            |                    |
|                              | XL  | 21.5"             | 29"               | 50.0       | 73.4°                | 74.0°               | 13.5                      | 66.5°                | 67.8                | 30.8                          | 6.0                       | 43.8                    | 4.6                  | 11.0            | 123.0          | 79.1          | 49.5                | 63.7            |                    |
|                              | XXL | 23"               | 29"               | 54.0       | 73.4°                | 74.0°               | 15.0                      | 66.5°                | 70.7                | 30.8                          | 6.0                       | 43.8                    | 4.6                  | 11.0            | 126.1          | 81.6          | 52.0                | 65.1            |                    |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                   | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Angle | D - Head Tube Length | E - Effective Top Tube Angle | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|-------------------------|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|---------------------|----------------------|------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Marlin+                 | XS                |                   | 27.5"      | 34.0                 | 73.8°               | 74.0°                     | 9.0                 | 66.5°                | 55.1                         | 31.3                      | 4.5                     | 47.0                 | 4.6             | 11.0           | 112.9         | 67.8                | 39.0            | 56.3            |
|                         | S                 |                   | 27.5"      | 37.0                 | 73.8°               | 74.0°                     | 10.0                | 66.5°                | 58.4                         | 31.3                      | 4.5                     | 47.0                 | 4.6             | 11.0           | 116.6         | 71.0                | 41.5            | 59.0            |
|                         | M                 |                   | 29"        | 42.0                 | 73.8°               | 74.0°                     | 10.5                | 66.5°                | 62.0                         | 31.8                      | 6.0                     | 48.5                 | 4.2             | 11.4           | 121.8         | 76.0                | 44.0            | 62.6            |
|                         | L                 |                   | 29"        | 45.0                 | 73.8°               | 74.0°                     | 11.5                | 66.5°                | 65.2                         | 31.8                      | 6.0                     | 48.5                 | 4.2             | 11.4           | 125.1         | 77.1                | 47.0            | 63.5            |
|                         | XL                |                   | 29"        | 50.0                 | 73.8°               | 74.0°                     | 13.5                | 66.5°                | 68.2                         | 31.8                      | 6.0                     | 48.5                 | 4.2             | 11.4           | 128.4         | 77.5                | 49.5            | 65.3            |
| Procaliber Alloy        | S                 |                   | 29"        | 39.0                 | 71.0°               | 74.3°                     | 9.0                 | 67.0°                | 57.7                         | 30.9                      | 6.4                     | 43.0                 | 4.3             |                | 111.0         | 74.7                | 40.5            | 61.4            |
|                         | M                 |                   | 29"        | 42.0                 | 71.5°               | 74.3°                     | 9.0                 | 67.0°                | 59.8                         | 30.9                      | 6.4                     | 43.0                 | 4.3             |                | 113.5         | 74.9                | 43.0            | 61.4            |
|                         | ML                |                   | 29"        | 44.0                 | 72.0°               | 74.3°                     | 9.0                 | 67.0°                | 61.3                         | 30.9                      | 6.4                     | 43.5                 | 4.3             |                | 115.5         | 75.8                | 44.5            | 61.4            |
|                         | L                 |                   | 29"        | 46.0                 | 72.5°               | 74.3°                     | 9.0                 | 67.0°                | 62.8                         | 30.9                      | 6.4                     | 43.5                 | 4.3             |                | 117.1         | 76.3                | 46.0            | 61.4            |
|                         | XL                |                   | 29"        | 51.0                 | 73.0°               | 74.3°                     | 12.0                | 67.0°                | 67.7                         | 30.9                      | 6.4                     | 44.0                 | 4.3             |                | 122.7         | 79.1                | 50.0            | 64.2            |
| Procaliber Carbon Gen 3 | S                 |                   | 29"        | 39.0                 | 71.0°               | 74.3°                     | 9.0                 | 67.0°                | 57.7                         | 30.9                      | 6.4                     | 43.0                 | 4.3             |                | 111.0         | 74.7                | 40.5            | 61.4            |
|                         | M                 |                   | 29"        | 42.0                 | 71.5°               | 74.3°                     | 9.0                 | 67.0°                | 59.8                         | 30.9                      | 6.4                     | 43.0                 | 4.3             |                | 113.5         | 74.9                | 43.0            | 61.4            |
|                         | ML                |                   | 29"        | 44.0                 | 72.0°               | 74.3°                     | 9.0                 | 67.0°                | 61.3                         | 30.9                      | 6.4                     | 43.5                 | 4.3             |                | 115.5         | 75.8                | 44.5            | 61.4            |
|                         | L                 |                   | 29"        | 46.0                 | 72.5°               | 74.3°                     | 9.0                 | 67.0°                | 62.8                         | 30.9                      | 6.4                     | 43.5                 | 4.3             |                | 117.1         | 76.3                | 46.0            | 61.4            |
|                         | XL                |                   | 29"        | 51.0                 | 73.0°               | 74.3°                     | 12.0                | 67.0°                | 67.7                         | 30.9                      | 6.4                     | 44.0                 | 4.3             |                | 122.7         | 79.1                | 50.0            | 64.2            |
| Roscoe                  | XS                |                   | 27.5"      | 34.0                 | 73.1°               | 74.7°                     | 9.0                 | 65.0°                | 55.2                         | 31.9                      | 4.5                     | 43.0                 | 4.2             | 12.2           | 112.0         | 72.9                | 39.0            | 59.1            |
|                         | S                 |                   | 29"        | 36.0                 | 73.1°               | 74.7°                     | 9.0                 | 65.0°                | 58.6                         | 32.1                      | 6.1                     | 43.0                 | 4.2             | 13.1           | 115.1         | 74.1                | 41.5            | 62.6            |
|                         | M                 |                   | 29"        | 42.0                 | 73.1°               | 74.7°                     | 10.0                | 65.0°                | 61.4                         | 32.1                      | 6.1                     | 43.0                 | 4.2             | 13.1           | 118.1         | 74.8                | 44.0            | 63.5            |
|                         | ML                |                   | 29"        | 43.5                 | 73.1°               | 74.7°                     | 10.5                | 65.0°                | 63.0                         | 32.2                      | 6.1                     | 43.0                 | 4.2             | 13.1           | 119.8         | 74.2                | 45.5            | 63.9            |
|                         | L                 |                   | 29"        | 45.0                 | 73.1°               | 74.7°                     | 11.0                | 65.0°                | 64.6                         | 32.1                      | 6.1                     | 43.0                 | 4.2             | 13.1           | 121.5         | 75.5                | 47.0            | 64.4            |
|                         | XL                |                   | 29"        | 50.0                 | 73.1°               | 74.7°                     | 13.5                | 65.0°                | 67.7                         | 32.2                      | 6.1                     | 43.0                 | 4.2             | 13.1           | 125.0         | 76.5                | 49.5            | 66.6            |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                   | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Angle | D - Head Tube Length | E - Effective Top Tube Angle | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|-------------------------|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|---------------------|----------------------|------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Service Electric        | S                 | 15.5"             | 27.5"      | 39.4                 |                     | 71.6°                     | 13.0                | 67.6°                | 59.8                         | 30.7                      | 4.9                     | 45.5                 | 4.2             | 10.4           | 112.5         | 72.2                | 39.0            | 62.3            |
|                         | M                 | 17.5"             | 29"        | 41.9                 |                     | 71.7°                     | 13.0                | 67.7°                | 61.7                         | 32.4                      | 4.9                     | 45.5                 | 5.1             | 9.8            | 115.5         | 79.5                | 40.6            | 63.9            |
|                         | L                 | 19.5"             | 29"        | 47.0                 |                     | 71.7°                     | 14.0                | 67.7°                | 64.1                         | 32.4                      | 5.0                     | 45.5                 | 5.1             | 9.8            | 118.0         | 75.8                | 42.7            | 64.9            |
|                         | XL                | 21.5"             | 29"        | 52.1                 |                     | 71.7°                     | 16.0                | 67.7°                | 67.2                         | 32.4                      | 5.0                     | 45.5                 | 5.1             | 9.8            | 120.6         | 76.8                | 45.2            | 66.7            |
| Ticket DJ               | L                 |                   | 26"        | 33.0                 | 71.0°               |                           | 12.0                | 70.0°                | 60.1                         | 32.0                      | 1.0                     | 40.0                 | 4.0             | 7.8            | 105.0         | 69.1                | 41.4            | 54.3            |
| Fuel EX Alloy Mino High | XS                |                   | 27.5"      | 36.0                 | 71.2°               | 78.9°                     | 9.5                 | 64.9°                | 51.6                         | 33.7                      | 2.1                     | 43.4                 | 4.4             | 11.9           | 114.4         | 72.0                | 40.4            | 57.2            |
|                         | S                 |                   | 27.5"      | 38.0                 | 71.1°               | 78.5°                     | 9.5                 | 64.8°                | 55.0                         | 33.7                      | 2.1                     | 43.4                 | 4.4             | 11.9           | 117.4         | 72.7                | 43.3            | 57.2            |
|                         | S                 |                   | 29"        | 38.0                 | 71.4°               | 79.2°                     | 9.5                 | 65.1°                | 55.3                         | 34.3                      | 3.1                     | 43.3                 | 4.4             | 12.5           | 118.5         | 74.3                | 43.1            | 60.8            |
|                         | M                 |                   | 29"        | 41.0                 | 71.4°               | 78.8°                     | 10.0                | 65.1°                | 58.3                         | 34.3                      | 3.1                     | 43.3                 | 4.4             | 12.5           | 121.2         | 74.3                | 45.6            | 61.2            |
|                         | ML                |                   | 29"        | 42.0                 | 71.4°               | 78.0°                     | 10.0                | 65.1°                | 60.6                         | 34.3                      | 3.1                     | 43.8                 | 4.4             | 12.5           | 123.2         | 74.8                | 47.6            | 61.2            |
|                         | L                 |                   | 29"        | 43.5                 | 71.4°               | 77.7°                     | 10.5                | 65.1°                | 62.6                         | 34.3                      | 3.1                     | 43.8                 | 4.4             | 12.5           | 124.9         | 75.4                | 49.1            | 61.7            |
|                         | XL                |                   | 29"        | 47.0                 | 71.3°               | 77.1°                     | 12.0                | 65.0°                | 66.0                         | 34.3                      | 3.0                     | 44.3                 | 4.4             | 12.5           | 128.6         | 77.4                | 52.1            | 63.0            |
|                         | XXL               |                   | 29"        | 50.0                 | 71.3°               | 76.5°                     | 13.5                | 65.0°                | 69.5                         | 34.3                      | 3.0                     | 44.8                 | 4.4             | 12.5           | 132.2         | 78.1                | 55.1            | 64.4            |
| Fuel EX Alloy Mino Low  | XS                |                   | 27.5"      | 36.0                 | 70.8°               | 78.6°                     | 9.5                 | 64.5°                | 51.6                         | 33.2                      | 2.5                     | 43.5                 | 4.4             | 12.2           | 114.5         | 71.7                | 40.0            | 57.4            |
|                         | S                 |                   | 27.5"      | 38.0                 | 70.8°               | 78.2°                     | 9.5                 | 64.5°                | 55.1                         | 33.2                      | 2.5                     | 43.5                 | 4.4             | 12.2           | 117.5         | 72.4                | 43.0            | 57.4            |
|                         | S                 |                   | 29"        | 38.0                 | 70.8°               | 78.6°                     | 9.5                 | 64.5°                | 55.4                         | 33.5                      | 3.8                     | 43.5                 | 4.4             | 12.9           | 118.6         | 73.7                | 42.5            | 61.2            |
|                         | M                 |                   | 29"        | 41.0                 | 70.8°               | 78.2°                     | 10.0                | 64.5°                | 58.4                         | 33.5                      | 3.8                     | 43.5                 | 4.4             | 12.9           | 121.3         | 73.7                | 45.0            | 61.7            |
|                         | ML                |                   | 29"        | 42.0                 | 70.8°               | 77.5°                     | 10.0                | 64.5°                | 60.7                         | 33.5                      | 3.8                     | 44.0                 | 4.4             | 12.9           | 123.3         | 74.2                | 47.0            | 61.7            |
|                         | L                 |                   | 29"        | 43.5                 | 70.8°               | 77.2°                     | 10.5                | 64.5°                | 62.7                         | 33.5                      | 3.8                     | 44.0                 | 4.4             | 12.9           | 125.0         | 74.8                | 48.5            | 62.1            |
|                         | XL                |                   | 29"        | 47.0                 | 70.8°               | 76.6°                     | 12.0                | 64.5°                | 66.2                         | 33.5                      | 3.8                     | 44.5                 | 4.4             | 12.9           | 128.7         | 76.7                | 51.5            | 63.5            |
|                         | XXL               |                   | 29"        | 50.0                 | 70.8°               | 76.0°                     | 13.5                | 64.5°                | 69.7                         | 33.5                      | 3.8                     | 45.0                 | 4.4             | 12.9           | 132.3         | 77.4                | 54.5            | 64.8            |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                    |    |       | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|--------------------------|----|-------|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
|                          |    |       |                   |                   |            |                      |                     |                           |                      |                     |                               |                           |                         |                      |                 |                |               |                     |                 |                 |
| Fuel EX Carbon Mino High | XS |       | 27.5"             | 36.0              | 71.2°      | 78.9°                | 9.5                 | 64.9°                     | 51.6                 | 33.7                | 2.1                           | 43.4                      | 4.4                     | 11.9                 | 114.4           | 71.9           | 40.4          | 57.2                |                 |                 |
|                          | S  |       | 27.5"             | 38.0              | 71.1°      | 78.5°                | 9.5                 | 64.8°                     | 55.0                 | 33.7                | 2.1                           | 43.4                      | 4.4                     | 11.9                 | 117.4           | 72.8           | 43.3          | 57.2                |                 |                 |
|                          | S  |       | 29"               | 38.0              | 71.4°      | 79.2°                | 9.5                 | 65.1°                     | 55.3                 | 34.3                | 3.1                           | 43.3                      | 4.4                     | 12.5                 | 118.5           | 73.8           | 43.1          | 60.8                |                 |                 |
|                          | M  |       | 29"               | 41.0              | 71.4°      | 78.8°                | 10.0                | 65.1°                     | 58.3                 | 34.3                | 3.1                           | 43.3                      | 4.4                     | 12.5                 | 121.2           | 74.4           | 45.6          | 61.2                |                 |                 |
|                          | ML |       | 29"               | 42.0              | 71.4°      | 78.0°                | 10.0                | 65.1°                     | 60.6                 | 34.3                | 3.1                           | 43.8                      | 4.4                     | 12.5                 | 123.2           | 75.1           | 47.6          | 61.2                |                 |                 |
|                          | L  |       | 29"               | 43.5              | 71.4°      | 77.7°                | 10.5                | 65.1°                     | 62.6                 | 34.3                | 3.1                           | 43.8                      | 4.4                     | 12.5                 | 124.9           | 75.4           | 49.1          | 61.7                |                 |                 |
|                          | XL |       | 29"               | 47.0              | 71.3°      | 77.1°                | 12.0                | 65.0°                     | 66.0                 | 34.3                | 3.0                           | 44.3                      | 4.4                     | 12.5                 | 128.6           | 76.7           | 52.1          | 63.0                |                 |                 |
| Fuel EX Carbon Mino Low  | XS |       | 27.5"             | 36.0              | 70.8°      | 78.6°                | 9.5                 | 64.5°                     | 51.6                 | 33.2                | 2.5                           | 43.5                      | 4.4                     | 12.2                 | 114.5           | 71.6           | 40.0          | 57.4                |                 |                 |
|                          | S  |       | 27.5"             | 38.0              | 70.8°      | 78.2°                | 9.5                 | 64.5°                     | 55.1                 | 33.2                | 2.5                           | 43.5                      | 4.4                     | 12.2                 | 117.5           | 72.4           | 43.0          | 57.4                |                 |                 |
|                          | S  |       | 29"               | 38.0              | 70.8°      | 78.6°                | 9.5                 | 64.5°                     | 55.4                 | 33.5                | 3.8                           | 43.5                      | 4.4                     | 12.9                 | 118.6           | 73.2           | 42.5          | 61.2                |                 |                 |
|                          | M  |       | 29"               | 41.0              | 70.8°      | 78.2°                | 10.0                | 64.5°                     | 58.4                 | 33.5                | 3.8                           | 43.5                      | 4.4                     | 12.9                 | 121.3           | 73.7           | 45.0          | 61.7                |                 |                 |
|                          | ML |       | 29"               | 42.0              | 70.8°      | 77.5°                | 10.0                | 64.5°                     | 60.7                 | 33.5                | 3.8                           | 44.0                      | 4.4                     | 12.9                 | 123.3           | 74.5           | 47.0          | 61.7                |                 |                 |
|                          | L  |       | 29"               | 43.5              | 70.8°      | 77.2°                | 10.5                | 64.5°                     | 62.7                 | 33.5                | 3.8                           | 44.0                      | 4.4                     | 12.9                 | 125.0           | 74.8           | 48.5          | 62.1                |                 |                 |
|                          | XL |       | 29"               | 47.0              | 70.8°      | 76.6°                | 12.0                | 64.5°                     | 66.2                 | 33.5                | 3.8                           | 44.5                      | 4.4                     | 12.9                 | 128.7           | 76.0           | 51.5          | 63.5                |                 |                 |
| Fuel EXe Mino High       | S  | 15.5" | 29"               | 38.0              | 69.3°      | 77.3°                | 10.0                | 65.3°                     | 57.2                 | 34.1                | 3.2                           | 43.8                      | 4.4                     | 12.4                 | 118.7           | 73.2           | 43.4          | 61.6                |                 |                 |
|                          | M  | 17.5" | 29"               | 41.0              | 69.8°      | 77.3°                | 11.0                | 65.3°                     | 59.9                 | 34.1                | 3.2                           | 43.8                      | 4.4                     | 12.4                 | 121.6           | 73.3           | 45.9          | 62.5                |                 |                 |
|                          | L  | 19.5" | 29"               | 43.5              | 70.8°      | 77.3°                | 11.0                | 65.3°                     | 62.9                 | 34.1                | 3.2                           | 43.8                      | 4.4                     | 12.4                 | 124.6           | 73.9           | 48.9          | 62.5                |                 |                 |
|                          | XL | 21.5" | 29"               | 47.0              | 71.3°      | 77.3°                | 12.0                | 65.3°                     | 65.6                 | 34.1                | 3.2                           | 43.8                      | 4.4                     | 12.4                 | 127.6           | 75.9           | 51.4          | 63.4                |                 |                 |
| Fuel EXe Mino Low        | S  | 15.5" | 29"               | 38.0              | 68.8°      | 76.8°                | 10.0                | 64.8°                     | 57.3                 | 33.4                | 3.9                           | 44.0                      | 4.4                     | 12.7                 | 118.8           | 72.6           | 42.8          | 62.0                |                 |                 |
|                          | M  | 17.5" | 29"               | 41.0              | 69.3°      | 76.8°                | 11.0                | 64.8°                     | 60.0                 | 33.4                | 3.9                           | 44.0                      | 4.4                     | 12.7                 | 121.7           | 72.7           | 45.3          | 62.9                |                 |                 |
|                          | L  | 19.5" | 29"               | 43.5              | 70.3°      | 76.8°                | 11.0                | 64.8°                     | 63.0                 | 33.4                | 3.9                           | 44.0                      | 4.4                     | 12.7                 | 124.7           | 73.3           | 48.3          | 62.9                |                 |                 |
|                          | XL | 21.5" | 29"               | 47.0              | 70.8°      | 76.8°                | 12.0                | 64.8°                     | 65.8                 | 33.4                | 3.9                           | 44.0                      | 4.4                     | 12.7                 | 127.6           | 75.3           | 50.8          | 63.8                |                 |                 |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                        |    | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|------------------------------|----|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Powerfly HT+ Gen 5           | S  |                   | 27.5"             | 37.0       | 73.0°                | 75.0°               | 13.3                      | 65.5°                | 57.1                | 31.5                          | 4.5                       | 44.2                    | 4.4                  | 11.6            | 115.1          | 69.7          | 41.0                | 59.9            |                 |
|                              | M  |                   | 29"               | 40.0       | 73.3°                | 75.0°               | 10.8                      | 66.5°                | 61.2                | 31.5                          | 6.5                       | 46.1                    | 4.4                  | 11.7            | 119.5          | 74.7          | 44.0                | 64.1            |                 |
|                              | L  |                   | 29"               | 42.0       | 73.4°                | 75.0°               | 12.3                      | 66.5°                | 64.0                | 31.5                          | 6.5                       | 46.1                    | 4.4                  | 11.7            | 122.6          | 74.6          | 46.5                | 65.5            |                 |
|                              | XL |                   | 29"               | 45.0       | 74.6°                | 76.0°               | 14.3                      | 66.5°                | 65.8                | 31.5                          | 6.5                       | 46.1                    | 4.4                  | 11.7            | 125.9          | 74.6          | 49.0                | 67.3            |                 |
| Powerfly FS+ Gen 4           | S  | 15.5"             | 27.5"             | 38.0       | 71.1°                | 77.0°               | 13.0                      | 65.0°                | 56.3                | 33.0                          | 3.0                       | 45.8                    | 4.4                  | 12.3            | 120.1          | 75.6          | 42.5                | 59.7            |                 |
|                              | M  | 17.5"             | 29"               | 40.0       | 71.3°                | 77.0°               | 11.0                      | 66.0°                | 59.5                | 33.5                          | 4.5                       | 46.1                    | 4.4                  | 12.5            | 122.3          | 78.0          | 45.0                | 62.9            |                 |
|                              | L  | 19.5"             | 29"               | 42.0       | 71.2°                | 77.0°               | 13.0                      | 66.0°                | 63.0                | 33.5                          | 4.5                       | 46.1                    | 4.4                  | 12.5            | 125.7          | 77.5          | 47.5                | 64.7            |                 |
|                              | XL | 21.5"             | 29"               | 45.0       | 72.4°                | 77.0°               | 15.0                      | 66.0°                | 65.4                | 33.5                          | 4.5                       | 46.1                    | 4.4                  | 12.5            | 129.0          | 77.8          | 50.0                | 66.6            |                 |
| Rail+ Alloy Gen 5 Mino High  | S  | 15.5"             | 27.5"             | 38.0       | 75.3°                | 77.9°               | 10.0                      | 65.0°                | 56.2                | 34.4                          | 1.2                       | 44.6                    | 4.3                  | 11.9            | 120.1          | 76.7          | 43.5                | 59.8            |                 |
|                              | M  | 17.5"             | 29"               | 41.0       | 75.3°                | 77.7°               | 10.0                      | 65.0°                | 59.1                | 34.5                          | 1.8                       | 44.6                    | 4.3                  | 12.7            | 122.9          | 78.4          | 45.5                | 63.1            |                 |
|                              | L  | 19.5"             | 29"               | 43.5       | 75.2°                | 77.5°               | 12.0                      | 65.0°                | 63.9                | 34.5                          | 1.8                       | 44.6                    | 4.3                  | 12.7            | 127.7          | 78.5          | 49.5                | 64.9            |                 |
|                              | XL | 21.5"             | 29"               | 47.0       | 75.2°                | 77.4°               | 14.5                      | 64.9°                | 67.0                | 34.5                          | 1.7                       | 44.6                    | 4.3                  | 12.7            | 131.3          | 80.4          | 52.0                | 67.2            |                 |
| Rail+ Alloy Gen 5 Mino Low   | S  | 15.5"             | 27.5"             | 38.0       | 74.8°                | 77.4°               | 10.0                      | 64.5°                | 56.3                | 33.8                          | 1.8                       | 44.8                    | 4.3                  | 12.2            | 127.8          | 76.2          | 43.0                | 59.4            |                 |
|                              | M  | 17.5"             | 29"               | 41.0       | 74.8°                | 77.2°               | 10.0                      | 64.5°                | 59.2                | 33.8                          | 2.4                       | 44.8                    | 4.3                  | 13.1            | 123.0          | 77.8          | 45.0                | 62.7            |                 |
|                              | L  | 19.5"             | 29"               | 43.5       | 74.8°                | 77.0°               | 12.0                      | 64.5°                | 63.9                | 33.8                          | 2.4                       | 44.8                    | 4.3                  | 13.1            | 127.8          | 77.9          | 49.0                | 64.5            |                 |
|                              | XL | 21.5"             | 29"               | 47.0       | 74.8°                | 76.9°               | 14.5                      | 64.5°                | 67.0                | 33.8                          | 2.4                       | 44.8                    | 4.3                  | 13.1            | 131.4          | 79.8          | 51.5                | 66.7            |                 |
| Rail+ Carbon Gen 5 Mino High | S  | 15.5"             | 27.5"             | 38.0       | 75.3°                | 77.9°               | 10.0                      | 65.0°                | 56.2                | 34.4                          | 1.2                       | 44.6                    | 4.3                  | 11.9            | 120.1          | 76.3          | 43.5                | 59.8            |                 |
|                              | M  | 17.5"             | 29"/27.5"         | 41.0       | 75.3°                | 77.7°               | 10.0                      | 65.0°                | 59.1                | 34.5                          | 1.8                       | 44.6                    | 4.3                  | 12.7            | 122.9          | 77.5          | 45.5                | 63.1            |                 |
|                              | L  | 19.5"             | 29"/27.5"         | 43.5       | 75.2°                | 77.5°               | 12.0                      | 65.0°                | 63.9                | 34.5                          | 1.8                       | 44.6                    | 4.3                  | 12.7            | 127.7          | 77.5          | 49.5                | 64.9            |                 |
|                              | XL | 21.5"             | 29"/27.5"         | 47.0       | 75.2°                | 77.4°               | 14.5                      | 64.9°                | 67.0                | 34.5                          | 1.7                       | 44.6                    | 4.3                  | 12.7            | 131.3          | 79.8          | 52.0                | 67.2            |                 |
| Rail+ Carbon Gen 5 Mino Low  | S  | 15.5"             | 27.5"             | 38.0       | 74.8°                | 77.4°               | 10.0                      | 64.5°                | 56.3                | 33.8                          | 1.8                       | 44.8                    | 4.3                  | 12.2            | 127.8          | 75.8          | 43.0                | 59.4            |                 |
|                              | M  | 17.5"             | 29"/27.5"         | 41.0       | 74.8°                | 77.2°               | 10.0                      | 64.5°                | 59.2                | 33.8                          | 2.4                       | 44.8                    | 4.3                  | 13.1            | 123.0          | 76.9          | 45.0                | 62.7            |                 |
|                              | L  | 19.5"             | 29"/27.5"         | 43.5       | 74.8°                | 77.0°               | 12.0                      | 64.5°                | 63.9                | 33.8                          | 2.4                       | 44.8                    | 4.3                  | 13.1            | 127.8          | 76.9          | 49.0                | 64.5            |                 |
|                              | XL | 21.5"             | 29"/27.5"         | 47.0       | 74.8°                | 76.9°               | 14.5                      | 64.5°                | 67.0                | 33.8                          | 2.4                       | 44.8                    | 4.3                  | 13.1            | 131.4          | 77.9          | 51.5                | 66.7            |                 |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                   |    | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|-------------------------|----|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Session Alloy Mino High | R1 |                   | 29"               | 42.5       | 61.6°                | 77.1°               | 11.7                      | 63.6°                | 58.6                | 35.9                          | 1.2                       | 43.5                    | 4.6                  | 13.1            | 124.3          | 75.5          | 44.7                | 63.4            |                 |
|                         | R2 |                   | 29"               | 42.5       | 61.6°                | 77.1°               | 11.7                      | 63.6°                | 61.7                | 35.9                          | 1.2                       | 44.1                    | 4.6                  | 13.1            | 127.4          | 75.9          | 47.2                | 63.4            |                 |
|                         | R3 |                   | 29"               | 42.5       | 61.6°                | 77.1°               | 11.7                      | 63.6°                | 65.2                | 35.9                          | 1.2                       | 44.8                    | 4.6                  | 13.2            | 130.9          | 75.7          | 49.9                | 63.4            |                 |
| Session Alloy Mino Low  | R1 |                   | 29"               | 42.5       | 61.0°                | 76.5°               | 11.7                      | 63.0°                | 58.7                | 35.0                          | 2.1                       | 43.9                    | 4.6                  | 13.6            | 124.6          | 74.7          | 44.0                | 63.9            |                 |
|                         | R2 |                   | 29"               | 42.5       | 61.0°                | 76.5°               | 11.7                      | 63.0°                | 61.8                | 35.0                          | 2.1                       | 44.5                    | 4.6                  | 13.6            | 127.7          | 75.1          | 46.5                | 63.9            |                 |
|                         | R3 |                   | 29"               | 42.5       | 61.0°                | 76.5°               | 11.7                      | 63.0°                | 65.3                | 35.0                          | 2.1                       | 45.2                    | 4.6                  | 13.6            | 131.2          | 74.9          | 49.3                | 63.9            |                 |
| Slash Gen 6             | S  | 15.5"             | 27.5"             | 39.0       | 74.0°                | 78.1°               | 10.0                      | 63.5°                | 54.8                | 35.2                          | 1.0                       | 42.9                    | 4.3                  | 13.2            | 119.5          | 72.7          | 43.0                | 58.8            |                 |
|                         | M  | 17.5"             | 29"/27.5"         | 40.0       | 73.8°                | 77.8°               | 10.0                      | 63.3°                | 57.8                | 35.1                          | 2.7                       | 42.9                    | 4.3                  | 14.3            | 122.4          | 76.6          | 44.8                | 62.3            |                 |
|                         | ML | 18.5"             | 29"/27.5"         | 42.0       | 73.8°                | 77.3°               | 11.0                      | 63.3°                | 60.5                | 35.1                          | 2.7                       | 43.4                    | 4.3                  | 14.3            | 125.3          | 76.6          | 46.8                | 63.2            |                 |
|                         | L  | 19.5"             | 29"/27.5"         | 43.5       | 73.8°                | 77.1°               | 12.0                      | 63.3°                | 62.8                | 35.1                          | 2.7                       | 43.4                    | 4.3                  | 14.3            | 127.8          | 76.7          | 48.8                | 64.1            |                 |
|                         | XL | 21.5"             | 29"/27.5"         | 47.0       | 73.8°                | 76.7°               | 14.0                      | 63.3°                | 65.8                | 35.1                          | 2.7                       | 43.9                    | 4.3                  | 14.3            | 131.2          | 76.8          | 51.3                | 65.9            |                 |
| Slash+                  | S  | 15.5"             | 27.5"             | 39.0       | 74.0°                | 77.6°               | 11.0                      | 63.5°                | 56.1                | 35.2                          | 1.0                       | 44.0                    | 4.3                  | 13.2            | 120.5          | 77.1          | 43.0                | 59.7            |                 |
|                         | M  | 17.5"             | 29"/27.5"         | 40.0       | 73.9°                | 77.5°               | 11.0                      | 63.4°                | 58.8                | 35.2                          | 2.7                       | 43.4                    | 4.3                  | 14.2            | 123.3          | 77.6          | 44.9                | 63.1            |                 |
|                         | L  | 19.5"             | 29"/27.5"         | 43.5       | 73.9°                | 77.2°               | 12.0                      | 63.4°                | 62.5                | 35.2                          | 2.7                       | 43.4                    | 4.3                  | 14.2            | 126.7          | 77.0          | 47.9                | 63.9            |                 |
|                         | XL | 21.5"             | 29"/27.5"         | 47.0       | 73.9°                | 76.7°               | 14.0                      | 63.4°                | 66.9                | 35.2                          | 2.7                       | 43.9                    | 4.3                  | 14.2            | 131.7          | 76.9          | 51.9                | 65.8            |                 |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                                | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Angle | Effective Seat Tube Angle | C - Head Tube Length | D - Head Tube Angle | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|--------------------------------------|-------------------|-------------------|------------|----------------------|---------------------|---------------------------|----------------------|---------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Supercaliber SLR Gen 2<br>100mm Fork | S                 |                   | 29"        | 39.5                 | 71.0°               | 75.0°                     | 9.0                  | 68.0°               | 56.9                          | 32.3                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 110.9         |                     | 41.5            | 58.6            |
|                                      | M                 |                   | 29"        | 42.0                 | 71.5°               | 75.0°                     | 9.0                  | 68.0°               | 59.0                          | 32.3                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 113.4         |                     | 44.0            | 58.6            |
|                                      | ML                |                   | 29"        | 44.0                 | 71.5°               | 75.0°                     | 9.0                  | 68.0°               | 60.3                          | 32.3                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 114.9         |                     | 45.5            | 58.6            |
|                                      | L                 |                   | 29"        | 46.0                 | 72.0°               | 75.0°                     | 10.0                 | 68.0°               | 62.1                          | 32.3                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 116.8         |                     | 47.0            | 59.5            |
|                                      | XL                |                   | 29"        | 52.5                 | 71.9°               | 74.9°                     | 12.5                 | 67.9°               | 66.2                          | 32.3                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 121.3         |                     | 50.5            | 61.8            |
| Supercaliber SLR Gen 2<br>110mm Fork | S                 |                   | 29"        | 39.5                 | 70.5°               | 74.5°                     | 9.0                  | 67.5°               | 57.1                          | 32.7                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 111.3         | 76.0                | 41.0            | 59.0            |
|                                      | M                 |                   | 29"        | 42.0                 | 71.0°               | 74.5°                     | 9.0                  | 67.5°               | 59.2                          | 32.7                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 113.8         | 77.2                | 43.5            | 59.0            |
|                                      | ML                |                   | 29"        | 44.0                 | 71.0°               | 74.5°                     | 9.0                  | 67.5°               | 60.5                          | 32.7                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 115.3         | 77.2                | 45.0            | 59.0            |
|                                      | L                 |                   | 29"        | 46.0                 | 71.5°               | 74.5°                     | 10.0                 | 67.5°               | 62.2                          | 32.7                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 117.2         | 77.2                | 46.5            | 59.9            |
|                                      | XL                |                   | 29"        | 52.5                 | 71.5°               | 74.5°                     | 12.5                 | 67.5°               | 66.3                          | 32.7                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 121.7         | 77.2                | 50.0            | 62.2            |
| Supercaliber SLR Gen 2<br>120mm Fork | S                 |                   | 29"        | 39.5                 | 70.0°               | 74.0°                     | 9.0                  | 67.0°               | 57.2                          | 33.0                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 111.7         |                     | 40.5            | 59.3            |
|                                      | M                 |                   | 29"        | 42.0                 | 70.5°               | 74.0°                     | 9.0                  | 67.0°               | 59.3                          | 33.0                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 114.2         |                     | 43.0            | 59.3            |
|                                      | ML                |                   | 29"        | 44.0                 | 70.5°               | 74.0°                     | 9.0                  | 67.0°               | 60.6                          | 33.0                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 115.7         |                     | 44.5            | 59.3            |
|                                      | L                 |                   | 29"        | 46.0                 | 71.0°               | 74.0°                     | 10.0                 | 67.0°               | 62.4                          | 33.0                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 117.6         |                     | 46.0            | 60.3            |
|                                      | XL                |                   | 29"        | 52.5                 | 71.1°               | 74.1°                     | 12.5                 | 67.1°               | 66.5                          | 33.0                      | 4.6                     | 43.5                 | 4.3             | 10.9           | 122.0         |                     | 49.5            | 62.6            |

# 2025 Mountain Bike Geometry



All measurements in cm unless otherwise noted

| Model                           | Frame Size Letter | Frame Size Number | Wheel Size | A - Seat Tube Length | B - Seat Tube Length | Effective Seat Tube Angle | C - Head Tube Angle | D - Head Tube Length | E - Effective Top Tube Length | F - Bottom Bracket Height | G - Bottom Bracket Drop | H - Chainstay Length | I - Fork Offset | J - Fork Trail | K - Wheelbase | L - Frame Standover | M - Frame Reach | N - Frame Stack |
|---------------------------------|-------------------|-------------------|------------|----------------------|----------------------|---------------------------|---------------------|----------------------|-------------------------------|---------------------------|-------------------------|----------------------|-----------------|----------------|---------------|---------------------|-----------------|-----------------|
| Top Fuel Carbon Gen 4 Mino High | S                 | 27.5"             | 36.0       | 69.5°                | 76.5°                | 10.5                      | 65.9°               | 55.8                 | 1.0                           | 43.4                      | 4.3                     | 11.1                 | 115.0           | 70.5           | 42.2          | 56.6                |                 |                 |
|                                 | M                 | 29"               | 41.0       | 70.5°                | 77.3°                | 10.5                      | 65.9°               | 58.7                 | 2.6                           | 43.4                      | 4.3                     | 12.1                 | 118.8           | 75.5           | 45.2          | 59.9                |                 |                 |
|                                 | ML                | 29"               | 42.0       | 70.5°                | 76.6°                | 11.0                      | 65.9°               | 61.1                 | 2.6                           | 43.9                      | 4.3                     | 12.1                 | 121.0           | 75.7           | 46.7          | 60.4                |                 |                 |
|                                 | L                 | 29"               | 43.5       | 70.5°                | 76.3°                | 11.5                      | 65.9°               | 63.0                 | 2.6                           | 43.9                      | 4.3                     | 12.1                 | 122.7           | 75.8           | 48.2          | 60.8                |                 |                 |
|                                 | XL                | 29"               | 47.0       | 70.5°                | 75.6°                | 13.5                      | 65.9°               | 67.2                 | 2.6                           | 44.4                      | 4.3                     | 12.1                 | 127.0           | 76.3           | 51.2          | 62.6                |                 |                 |
| Top Fuel Carbon Gen 4 Mino Low  | S                 | 27.5"             | 36.0       | 69.0°                | 76.0°                | 10.5                      | 65.5°               | 55.9                 | 1.6                           | 43.5                      | 4.3                     | 11.5                 | 115.1           | 70.0           | 41.7          | 57.0                |                 |                 |
|                                 | M                 | 29"               | 41.0       | 70.0°                | 76.9°                | 10.5                      | 65.5°               | 58.8                 | 3.2                           | 43.5                      | 4.3                     | 12.5                 | 118.8           | 75.0           | 44.7          | 60.3                |                 |                 |
|                                 | ML                | 29"               | 42.0       | 70.0°                | 76.2°                | 11.0                      | 65.5°               | 61.2                 | 3.2                           | 44.0                      | 4.3                     | 12.5                 | 121.0           | 75.2           | 46.2          | 60.7                |                 |                 |
|                                 | L                 | 29"               | 43.5       | 70.0°                | 75.9°                | 11.5                      | 65.5°               | 63.1                 | 3.2                           | 44.0                      | 4.3                     | 12.5                 | 122.7           | 75.3           | 47.7          | 61.2                |                 |                 |
|                                 | XL                | 29"               | 47.0       | 70.0°                | 75.2°                | 13.5                      | 65.5°               | 67.3                 | 3.2                           | 44.5                      | 4.3                     | 12.5                 | 127.1           | 75.8           | 50.7          | 63.0                |                 |                 |
| Top Fuel Alloy Gen 4 Mino High  | S                 | 27.5"             | 36.0       | 69.5°                | 76.5°                | 10.5                      | 65.9°               | 55.8                 | 1.0                           | 43.4                      | 4.3                     | 11.1                 | 115.0           | 70.5           | 42.2          | 56.6                |                 |                 |
|                                 | M                 | 29"               | 41.0       | 70.5°                | 77.3°                | 10.5                      | 65.9°               | 58.7                 | 2.6                           | 43.4                      | 4.3                     | 12.1                 | 118.8           | 75.5           | 45.2          | 59.9                |                 |                 |
|                                 | ML                | 29"               | 42.0       | 70.5°                | 76.6°                | 11.0                      | 65.9°               | 61.1                 | 2.6                           | 43.9                      | 4.3                     | 12.1                 | 121.0           | 75.5           | 46.7          | 60.4                |                 |                 |
|                                 | L                 | 29"               | 43.5       | 70.5°                | 76.3°                | 11.5                      | 65.9°               | 63.0                 | 2.6                           | 43.9                      | 4.3                     | 12.1                 | 122.7           | 76.0           | 48.2          | 60.8                |                 |                 |
|                                 | XL                | 29"               | 47.0       | 70.5°                | 75.6°                | 13.5                      | 65.9°               | 67.2                 | 2.6                           | 44.4                      | 4.3                     | 12.1                 | 127.0           | 76.5           | 51.2          | 62.6                |                 |                 |
| Top Fuel Alloy Gen 4 Mino Low   | S                 | 27.5"             | 36.0       | 69.0°                | 76.0°                | 10.5                      | 65.5°               | 55.9                 | 1.6                           | 43.5                      | 4.3                     | 11.5                 | 115.1           | 70.0           | 41.7          | 57.0                |                 |                 |
|                                 | M                 | 29"               | 41.0       | 70.0°                | 76.9°                | 10.5                      | 65.5°               | 58.8                 | 3.2                           | 43.5                      | 4.3                     | 12.5                 | 118.8           | 75.0           | 44.7          | 60.3                |                 |                 |
|                                 | ML                | 29"               | 42.0       | 70.0°                | 76.2°                | 11.0                      | 65.5°               | 61.2                 | 3.2                           | 44.0                      | 4.3                     | 12.5                 | 121.0           | 75.0           | 46.2          | 60.7                |                 |                 |
|                                 | L                 | 29"               | 43.5       | 70.0°                | 75.9°                | 11.5                      | 65.5°               | 63.1                 | 3.2                           | 44.0                      | 4.3                     | 12.5                 | 122.7           | 75.5           | 47.7          | 61.2                |                 |                 |
|                                 | XL                | 29"               | 47.0       | 70.0°                | 75.2°                | 13.5                      | 65.5°               | 67.3                 | 3.2                           | 44.5                      | 4.3                     | 12.5                 | 127.1           | 76.0           | 50.7          | 63.0                |                 |                 |